

CORRUGATED SHEET — SPAN TABLES.

CORRUGATED
.62 STEEL. SCREW + NEO + CAPS 10 FIXING/SHEET.

BUILDINGS UP TO 5m.

TERRAIN FACTOR	ROOF AREA LOCATION	WORKING PRESSURE (kPa)	MAXIMUM CONTINUOUS SPANS (mm)	MAXIMUM END SPANS (mm)	MAXIMUM OVERHANGS	
					*Unstiffened (mm)	*Stiffened (mm)
CATEGORY 1. 1.02	D	4.24	1388	1016	100	200
	F	5.37	1214	860	100	200
	G	6.49	1033	729	100	150
CATEGORY 2. 0.93	D	3.53	1497	1194	100	200
	F	4.46	1354	999	100	200
	G	5.40	1209	857	100	200
CATEGORY 2.5 0.79	D	2.55	1882	1440	100	200
	F	3.22	1617	1270	100	200
	G	3.89	1442	1118	100	200

*STIFFENED/UNSTIFFENED REFERS TO WHETHER OR NOT THE EDGE OF THE SHEETING HAS BEEN STIFFENED BY A GUTTER SYSTEM.

CORRUGATED
.62 STEEL. SCREW + NEOS + CAPS 10 FIXING/SHEET.

BUILDINGS 5 — 10m HIGH.

TERRAIN FACTOR	ROOF AREA LOCATION	WORKING PRESSURE (kPa)	MAXIMUM CONTINUOUS SPANS (mm)	MAXIMUM END SPANS (mm)	MAXIMUM OVERHANGS	
					*Unstiffened (mm)	*Stiffened (mm)
CATEGORY 1. 1.09	D	4.85	1294	917	100	200
	F	6.31	1091	791	100	150
	G	7.41	887	675	100	150
CATEGORY 2. 1.00	D	4.08	1412	1078	100	200
	F	5.16	1246	879	100	200
	G	6.24	1074	781	100	150
CATEGORY 2.5. 0.85	D	2.94	1790	1341	100	200
	F	3.72	1468	1154	100	200
	G	4.50	1348	990	100	200

Enquiries and further information available from: HANDFORD INDUSTRIES DARWIN (089) 81 2218
HANDFORD INDUSTRIES BRISBANE (07) 265 2999

DESIGN DATA SHEET Northern Territory Cyclonic Areas

Manufacturer:
HANDFORD INDUSTRIES PTY. LTD.
Phone No. 265 0443

Address:
19 PRITCHARD ROAD, VIRGINIA,
BRISBANE, Q. P.O. BOX 157 NUNDAH. 4012.

Certified *Dub. Henderson* MIE (Aust)

Date *22/10/81*

Subject: Fixing, in the Darwin area of
CORRUGATED SHEET

Approved *Charles M.I.E. (Aust)*

Date *30 October 1981*

DRG No. M/103/16