



|   |        |
|---|--------|
| 1. STORAGE CYLINDER                                     | 1 OFF  |
| 2. HEAT COLLECTOR PANELS                                | 2 OFF  |
| 3. M.S. ANGLE SUPPORT FRAME (REFER DETAIL SHEET)        | 1 OFF  |
| 4. TOP RAY SECTION. BASE PLATE. (133x12x1.6)            | 3 OFF  |
| 5. COLLECTOR SUPPORT RIB SECTION (40x87x40x3.2)         | 1 OFF  |
| 5A. COLLECTOR SUPPORT 'C' SECTION (40x87x40x3.2)        | 1 OFF  |
| 6. COLLECTOR RESTRAINT PLATE                            | 4 OFF  |
| 7. 8 mm Ø Z.P. SET SCREW, NUT & WASHER                  | 8 OFF  |
| 8. TANK CLAMP (ALUMINIUM)                               | 4 OFF  |
| 9. 10 mm Ø Z.P. SET SCREW, NUT & WASHER                 | 4 OFF  |
| 10. (a) BATTEN FIXING : TYPE 17 NO. 14 x 100 TEK SCREWS | 12 OFF |
| (b) RAFTER FIXING : 10 mm Ø COACH SCREW (40 mm PENET.)  | 9 OFF  |
| 11. 75 x 50 H.W. ROOF BATTENS MAXIMUM 900 CENT.         |        |

**NOTES:** 1. ITEM 11 TO BE SUPPLIED BY INSTALLER OR BUILDER.  
 2. TRUSSES OR RAFTERS, BATTEN & THEIR FIXINGS MUST BE DESIGNED FOR WIND LOAD TO TERRAIN CATEGORY APPLICABLE TO THE BUILDING AND FOR DEAD + LIVE LOAD

SOLAHART PTY. LTD. 426 STUART HIGHWAY WINNELLIE. DARWIN. N.T. PH. (089) 84 4959.

|  |   |                           |
|--|---|---------------------------|
| Colless & Associates Pty. Ltd.<br>Consulting Engineers<br>Darwin N.T. (089) 819644 | FIXING FOR SOLAHART 300 LITRE<br>H.W. HEATERS. LOW PITCH ROOFS.                     |                           |
|  | DESIGN DATA SHEET.  |                           |
| Certified <u>T. Heil</u><br>Date <u>26-6-84</u>                                    | DARWIN CYCLONE AREA.<br>APP'D <u>[Signature]</u> M.I.E. AUST<br>DATE <u>31-7-84</u> | DWG. N°<br><u>M/503/6</u> |