



104x25x2.0 SCREW
FIX TO 3 TRUSSES OR
RAFTERS WITH 2 N°14
TEK SCREWS.

2- 25x1.2 G.I. STRAPS AS DTCM/602/2
3 NAILS PER LEG

100x50 HWD. BATTEN CONTINUOUS UNDER
AND SECURED TO 3 TRUSSES.

DETAILS NOT NOTED AS D.T.C.M/503/15

ALTERNATIVE FIXING DETAIL FOR
CLEAR OF ROOF INSTALLATION

NOT TO BE USED WITH "LOW PITCH" BRACKET INSTALLATIONS

SOLAHART PTY. LTD. 426 STUART HIGHWAY WINNELLIE N.T. (089) 844959
TERRAIN CATEGORY 2 (CYCLONIC)

Colless & O'Neill Pty. Ltd. Consulting Engineers Darwin N.T. (089) 81	SOLAHART SOLAR WATER HEATERS FIXING - WITH PITCH ROOFS	
DESIGN DATA SHEET		
Certified. <i>T. Veit</i> M.I.E. AUST Date. <i>20-11-85</i>	DARWIN CYCLONE AREA APP'D <i>C. Chew</i> DATE <i>5 Dec-1985</i> C. CHEW	DWG. NO. M/503/16