

CORRUGATED — SPAN TABLES.

.62 STEEL, SCREWS + NEOS + CAPS. 5 FIXINGS/SHEET.

BUILDINGS UP TO 5m.

TERRAIN FACTOR	ROOF AREA LOCATION	WORKING PRESSURE (kPa)	MAXIMUM CONTINUOUS SPANS (mm)	MAXIMUM END SPANS (mm)	MAXIMUM OVERHANGS	
					*Unstiffened (mm)	*Stiffened (mm)
CATEGORY 1. 1.02	D	4.24	1325	1045	100	200
	F	5.37	1099	750	100	200
	G	6.49	915	753	100	150
CATEGORY 2. 0.93	D	3.53	1495	1194	100	200
	F	4.46	1272	999	100	200
	G	5.40	1035	857	100	200
CATEGORY 2.5 0.79	D	2.55	1879	1440	100	200
	F	3.22	1647	1270	100	200
	G	3.89	1409	1118	100	200

*STIFFENED/UNSTIFFENED REFERS TO WHETHER OR NOT THE EDGE OF THE SHEETING HAS BEEN STIFFENED BY A GUTTER SYSTEM.

CORRUGATED

.62 STEEL, SCREWS + NEOS + CAPS. 5 FIXINGS/SHEET.

BUILDINGS 5 — 10m HIGH

TERRAIN FACTOR	ROOF AREA LOCATION	WORKING PRESSURE (kPa)	MAXIMUM CONTINUOUS SPANS (mm)	MAXIMUM END SPANS (mm)	MAXIMUM OVERHANGS	
					*Unstiffened (mm)	*Stiffened (mm)
CATEGORY 1. 1.09	D	4.85	1185	917	100	200
	F	6.31	974	791	100	150
	G	7.41	824	675	100	150
CATEGORY 2. 1.00	D	4.08	1363	1078	100	200
	F	5.16	1134	879	100	200
	G	6.24	900	781	100	150
CATEGORY 2.5 0.85	D	2.94	1790	1341	100	200
	F	3.72	1450	1154	100	200
	G	4.50	1262	990	100	200

Enquiries and further information available from: HANDFORD INDUSTRIES DARWIN (089) 81 2218
HANDFORD INDUSTRIES BRISBANE (07) 265 2999

DESIGN DATA SHEET Northern Territory Cyclonic Areas

Manufacturer:
HANDFORD INDUSTRIES PTY. LTD.
Phone No. 265 0443

Address:
19 PRITCHARD ROAD, VIRGINIA,
BRISBANE. Q. P.O. BOX 157 NUNDAH. 4012.

Certified David Stevenson MIE (Aust)
Date 22/10/81

Subject: Fixing, in the Darwin area of
CORRUGATED SHEET

Approved Robert M.I.E (Aust)
Date 30 OCTOBER 1981

DRG No. M/103/15